




erva
Wiring Systems

Fireproof Polycarbonate



Worldwide Switch
Professional



Unprecedented
allure

DERNEK GROUP ELEKTRİK ELEKTRONİK SAN. ve TIC. LTD. STİ.
Istanbul - TURKEY



www.lezard.com.tr

Since 1970

NEW
Reliable Lighting Solutions

erva
Wiring Systems



Thin and soft contours

Decoration rim provides additional optional color flexibility to suit your elaborately designed rooms

Glossy surface and modern lines for buttons


Newly designed frame reflects light in the most perfect way to dazzle eyes

Erva series, designed with a different approach, offer you diversity and freedom to discover new reflections of color in your living spaces. It will create new habit that you cannot relinquish anytime and anywhere.

Whole plastic materials are fire-proof Polycarbonate and ensure that higher and excellent safety.

dissimilar
technology


3 modules



4 modules




6 modules




INSTALLATION & ASSEMBLING

The cover plates are mounted on the flush-mounting boxes and plasterboard (min. depth 50 mm).




erva

Wiring Systems




A technological diamond, as glamorous as a jewel and as graceful as a plume. Converting motion into special moments of diurnal pleasure. And indispensable your life, enjoy the taste of the moments. Everything that makes life beautiful contribute additional things in our life like an **Erva**.

exceptional design



Fawn Brown Matt



Silver Matt



Graphite Black Matt

An outshine of natural beauty, precision finishing and functional dainty and unique facade. Involving unprecedented glamor and allure to your room.


LEZARD introduces you to an unused new perception. You will feel that light is being reflected unusually and irresistible attraction of new images.

Enjoy the difference.



Black Velvet Matt






erva
UNITY OF COLORS

Elegance and perfection : There is no equal luxurious thing.

It has never been so harmonious with other colors that has been chosen. Erva is dragging you into a disparate new world. To the fairytale world where your pleasures and love meet. The world you will find your lovers and find what you have missed and longed for.



Silver Matt - 43



Graphite Black - 41



Black Velvet - 42



Pearl White - 30




Fawn Brown - 31




Compatibility is such that it gives you peace and well-being when you are inside. Take a comfortable breath and take your minds, dreams, and leave yourself to the compassionate arms of Erva.

It welcomes you with the most beautiful colors embellishing your world.



erva
GRAPHITE BLACK

As if you were in a dream, you are flying away sometimes too far. Just over there a waterfall you have never seen lively, you make a low flight over it. Oh, you get a little wet. Look, here's another one, much bigger. Below are the wonderful flowers, chamomile, basil, cloves, lilies, violets. This landscape is not going to be not fascinated. That's the beauty of **Erva**, it will make you live more.



Dimgrey - 41



Silver Matt - 43




Pearl White - 30



Fawn Brown - 31



Crimson Red - 34



Oak Classic Matt - 51





Oak Bleached Brushed - 52



erva
WHITE FINISHING

ERVA; Meticulously selected wood colors will fill in emptiness and integrate with you. You will not be able take your eyes off them, warm and delicate as a flower. Experience the pleasure of looking at with perfect harmony of genuine tree pattern.



Black Velvet - 42




Graphite Black - 41



Silver Matt - 43




Dim Violet - 35



Viridian Green - 36



Fawn Brown - 31



Oak Classic Matt - 51




Oak Bleached Brushed - 52




erva
DECORATION RIM


Main Colors




Erva: a small light beam on the surface. It will attract your attention and leave you alone. Narrating you another stories you have never heard of. Magical tale you will lose yourself deeply and feel reposeful. It's like a glowing light on the tip of a sceptre of princess.




Black Velvet - 42
Pearl White Rim - 30



Graphite Black - 41
Black Velvet Rim - 42




Silver Matt - 43
Black Velvet Rim - 42




Fawn Brown - 31
Black Velvet Rim - 42



Pearl White - 30
Crimson Red Rim - 34



Pearl White - 30
Black Velvet Rim - 42



Pearl White - 30
Viridian Green Rim - 36





erva

DECORATION RIM

Sectional Colors

Button and control devices: the natural elegance of anthracite grey and the luminous dignity of white.

Erva can be dressed in the colours that best suit your home, with no limits to the possible combinations, for an integral or two-tone look. You will disappear in the depth of way-out metal and white.




Graphite Black - 41
Silver Matt Rim - 43




Silver Matt - 43
Cerulean Blue Rim - 39




Silver Matt - 43
Viridian Green Rim - 36




Silver Matt - 43
Black Velvet Rim: 42



Graphite Black - 41
Black Velvet Rim: 42



Crimson Red - 34
Pearl White Rim - 30



Fawn Brown - 31
Black Velvet Rim: 42



 **LEZARD**[®]




erva
Wiring Systems

TECHNICAL SUPERIORITIES

SWITCHES
16A, 250V~
IEC 60669-1

SOCKETS
16A, 250V~
IEC 60884-1
BS 1363-2



Whole (outer and inner) plastic materials are fireproof Polycarbonate (850 °C)



All conductive materials are made of Cusn94 Phosphor Bronze have highest (94%) copper ratio can transmit electricity 35% more than common brass materials and less heat is generated. It's harder than brass thereby having excellent grip for sockets. Overheating caused by looseness has been removed completely.



Silver contacts are made of AgNi90/10 according to IEC standards

Whole sockets are made as childproof to protect our children from any danger because of lower installed sockets.

Standards for switches IEC 60669-1 and for sockets IEC 60884-1

SAFER SUPPORTER



Whole (outer and inner) plastic materials are fireproof Polycarbonate (850 °C)




Long-lasting Nickel plated metal pin can ensure requirements of the standard min. 40.000 On/Off

Finger Protection (during installation no possibility to contact any conductors)


Double cables entry and smoothly installation




DIMENSIONS OF MOUNTING FRAMES



3 Modules



4 Modules




6 Modules





COVER PLATES






INSTALLATION







CONTROL DEVICES

Ref. No	Product Data	Inbox/Outbox(Pcs)
 601 0216 100	One Way Switch - 1 Modul - 16AX 250V~ - in accordance with EN 60669-1 - screw connection 1.5-2.5mm2	10/240
 601 0216 103	Push Button Switch-Bell - 1 Modul - 16AX 250V~ - in accordance with EN 60669-1 - screw connection 1.5-2.5mm2	10/240
 601 0216 104	Push Button Switch-Door - 1 Modul - 16AX 250V~ - in accordance with EN 60669-1 - screw connection 1.5-2.5mm2	10/240
 601 0216 105	Two Way Switch - 1 Modul - 16AX 250V~ - in accordance with EN 60669-1 - screw connection 1.5-2.5mm2	10/240

CONTROL DEVICES

Ref. No	Product Data	Inbox/Outbox(Pcs)
 601 0216 111	One Way Switch - LED Illuminated - 1 Modul - 16AX 250V~ - in accordance with EN 60669-1 - screw connection 1.5-2.5mm2	10/240
 601 0216 114	Two Way Switch - LED Illuminated - 1 Modul - 16AX 250V~ - in accordance with EN 60669-1 - screw connection 1.5-2.5mm2	10/240
 601 0216 101	Two Pole Switch - 1 Modul - 16AX 250V~ - in accordance with EN 60669-1 - screw connection 1.5-2.5mm2	10/240
 601 0220 101	Two Pole Switch -20A - 1 Modul - 20AX 250V~ - in accordance with EN 60669-1 - screw connection 1.5-2.5mm2	10/240

CONTROL DEVICES

Ref. No	Product Data	Inbox/Outbox(Pcs)
 601 0216 184	Socket Euro & American - 1 Modul - 16A 250V~ - Childproof - in accordance with EN 60884-1 - screw connection 1.5-2.5mm ²	10/240
 601 0216 185	Socket Italian & Euro - 1 Modul - 16A 250V~ - Childproof - in accordance with EN 60884-1, CEI 23-50 - screw connection 1.5-2.5mm ²	10/240
 601 0216 186	Universal Socket (British/Euro) - 2 Modul - 16A 250V~ - Childproof - in accordance with - screw connection 1.5-2.5mm ² BS 1363-2	10/240
 601 0216 124B	Earthed Socket Schuko - 2 Modul - 16AX 250V~ - Childproof - in accordance with EN 60884-1 - screw connection 1.5-2.5mm ²	10/240

CONTROL DEVICES

Ref. No	Product Data	Inbox/Outbox(Pcs)
 601 0216 115	Dimmer 600W - 2 Modul - 16A 250V~ - screw connection 1.5-2.5mm ²	10/240
 601 0216 130	TV Socket - 1 Modul - 0 dB reduction - F Connector	10/240
 601 0216 137	Telephone Socket RJ11 - 1 Modul - RJ11 Jack - Cat 3 - Screwless connection	10/240
 601 0220 139	Data Socket RJ45 - Cat 5e - 1 Modul - RJ45 - Cat 5e - Screwless connection	10/240

CONTROL DEVICES

Ref. No	Product Data	Inbox/Outbox(Pcs)
 601 0216 140	Data Socket RJ45 - Cat 6 - 1 Modul - RJ45 - Cat 6 - Screwless connection	10/240
 601 0216 181	USB Socket for Smartphones-1 gang - 1 Modul - Input 230V~ 50/60Hz - Standby: <0,1W - Output USB : 5V /2, 1A	10/240
 601 0216 181A	USB Socket for Smartphones-2 gang - 1 Modul - Input 230V~ 50/60Hz - Standby: <0,1W - Output USB : 5V /2, 1A	10/240
 601 0216 162	Blank Cover - 1 Modul	10/240

MOUNTING FRAMES

Ref. No	Product Data	Inbox/Outbox(Pcs)
 601 0202 186A	Mounting Frame 3M -Mounting Screws	20/240
 601 0202 187A	Mounting Frame 4M -Mounting Screws	10/120
 601 0202 188A	Mounting Frame 6M -Mounting Screws	10/120

COVER PLATES

Ref. No	Product Data	Inbox/Outbox(Pcs)
 601 0202 186	Cover Plate - 3M	20/240
 601 0202 187	Cover Plate - 4M	10/120
 601 0202 188	Cover Plate - 6M	10/120

VARIABLE COLORS

COVER PLATES

O2 : White
O3: Beige

METALLIC COLORS

30 : Pearl White
31 : Fawn Brown
32 : Saddle Brown
41: Graphite Black
42 : Black Velvet
43: Silver Matt

WOOD COLORS

51 : Oak Classic Matt
52 : Oak Bleached Brushed



CONTROL DEVICES


O2 : White
O3: Beige

METALLIC COLORS

30 : Pearl White
31 : Fawn Brown
32 : Saddle Brown
41: Graphite Black
42 : Black Velvet
43: Silver Matt

WOOD COLORS

51 : Oak Classic Matt
52 : Oak Bleached Brushed





Quality Certificates

IEC 60669-1

IEC 60884-1

BS 1363-2



ISO 9001
BUREAU VERITAS
Certification



www.lezard.com.tr